


צינור


Ø	t	משקל גר/מ	מס' קמלוגי
8.0	1.0	59	9081
9,5	1.65	110	9114
10.0	1.0	76	9101
11.0	1.0	85	9308
12.0	1.0	100	9121
12.7	1.25	121	0402
12.8	1.9	176	9104
13.1	2.15	200	9310
14.0	1.0	110	9124
15.0	1.25	146	9913
16.0	1.0	127	9122
16.0	1.25	157	9123
16.0	1.5	189	5404
17.0	1.5	197	9239
18.0	1.0	144	9917
18.0	1.85	265	9312
18.0	2.0	266	9311
19.0	1.0	153	9254
19.0	1.25	188	9912
19.0	1.5	221	9191

ROUND TUBE



צינור

Ø	t	משקל גר/מ	מס׳ קמלוגי
19.3	0.85	133	5723
20.0	2.0	305	9112
20.0	3.0	433	9259
22.0	1.5	262	9229
22.0	1.75	300	9221
22.4	1.05	190	5724
25	1.0	204	₩ ₀₀₁₇
25.0	1.5	300	9253
25.0	2.0	390	9252
25.0	4.0	713	9110
27.0	3,5	697	9281
28.0	1.5	337	9282
30.0	1	250	5763
30.0	1.25	305	9283
30.0	1.5	363	9306
30.0	2.0	475	9232
30.0	3.0	687	9106
30.0	7,5	1431	9268



גירסה 02.2018

ROUND TUBE		18]_t	צינור
Ø	t	משקל גר/מ	מס' קמלוגי
60.0	1.5	744	9920
60.0	2.0	984	9916
60.0	3.0	1451	9111
60.0	5.0	2333	9257
63.0	1.38	721	9120
63.5	1.6	840	9103
76.0	3.0	1858	9263
76.2	1.22	776	9297
80.0	5,0	3181	9266
100.0	3.0	2468	9264
100.0	4.0	3257	9265
101.0	3.0	2548	9013
101.6	3.3	2751	9128